NSN 5950-00-984-7126

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-984-7126

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.484 inches single mounting facility single center group and 1.516 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.359 inches single mounting facility single center group and 1.391 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component and 400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

Between 2.405 inches and 2.415 inches

Body Width:

Between 2.115 inches and 2.125 inches

Body Height:

Between 1.745 inches and 1.755 inches

Maximum Operating Temp:

125.0 degrees celsius

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

2.0 amperes ac single component single secondary

Winding Operating Voltage:

6.30 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5950-00-984-7126

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

