# NSN 5950-00-989-7956

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-989-7956

# **Reliability Indicator:**

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.375 inches single mounting facility single center group

#### Frequency Rating:

400.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

# Winding Shielding Method:

Internal shield grounded to inclosure and core single component

#### **Body Length:**

2.125 inches

#### **Body Width:**

1.875 inches

#### **Body Height:**

2.500 inches

# **Maximum Operating Temp:**

55.0 degrees celsius

# Inclosure Type:

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded hole single group

# **Winding Function And Quantity:**

1 primary single component and 3 secondary single component

#### Thready Qty Per Inch (tpi):

40 single group

#### **Thread Size:**

0.112 inches single group

# **Winding Operating Current:**

20.0 milliamperes ac single component 1st secondary

# **Winding Operating Voltage:**

815.00 ac volts single component 2nd secondary

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

10 tab, solder lug

#### Shelf Life:

N/a

# NSN 5950-00-989-7956

Power Transformer - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0