

View Online at <https://aerobasegroup.com/nsn/5950-00-989-9828>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.313 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.313 inches single mounting facility single center group

Transformer Function:

Line

Impedance Rating In Ohms:

50.0 single component single secondary and 125.0 single component single secondary and 150.0 single component single secondary and 200.0 single component single secondary and 250.0 single component single secondary and 333.0 single component single secondary and 500.0 single component single secondary and 600.0 single component single secondary

Frequency Rating:

20.0 hertz single component and 50.0 kilohertz single component

Maximum Transformer Power Rating:

15.0 decibels single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

2.313 inches

Body Outside Diameter:

1.500 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

18 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0