

View Online at <https://aerobasegroup.com/nsn/5950-00-992-4938>

Reliability Indicator:

Not established

Overall Length:

2.200 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.900 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.850 inches single mounting facility single center group

Overall Height:

1.750 inches

Overall Width:

2.150 inches

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.112 inches single group

Winding Operating Voltage:

2.81 ac volts single component single secondary and 3.08 ac volts single component single secondary and 3.80 ac volts single component single secondary and 9.24 ac volts single component single secondary and 11.04 ac volts single component single secondary and 33.32 ac volts single component single secondary and 79.05 ac volts single component single secondary and 83.58 ac volts single component single secondary and 90.55 ac volts single component single secondary and 115.00 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

21 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0