

View Online at <https://aerobasegroup.com/nsn/5950-00-997-9494>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.673 inches single mounting facility single center group and 1.703 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.235 inches single mounting facility single center group and 1.265 inches single mounting facility single center group

Mounting Hole Diameter:

0.175 inches single group and 0.195 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure and core and brought out to terminal single component

Body Length:

Between 2.140 inches and 2.200 inches

Body Width:

Between 1.670 inches and 1.730 inches

Body Height:

Between 1.780 inches and 1.840 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

4.0 amperes ac single component all secondary

Winding Operating Voltage:

6.30 ac volts single component all secondary

Terminal Type And Quantity:

8 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0