

View Online at <https://aerobasegroup.com/nsn/5950-01-003-2358>

**Reliability Indicator:**

Not established

**Overall Length:**

Between 0.397 inches and 0.417 inches

**Overall Width:**

Between 0.397 inches and 0.417 inches

**Inductance Rating:**

0.92 microhenries single component single winding and 1.08 microhenries single component single winding

**Coil Form Type:**

Hollow single component

**Core Construction:**

Solid single component

**Adjustment Device Drive Type:**

Slotted screw single component

**Body Height:**

Between 0.315 inches and 0.355 inches

**Maximum Operating Temp:**

125.0 degrees celsius

**Distance Between Mounting Facility Centers:**

0.390 inches single mounting facility single center group and 0.410 inches single mounting facility single center group

**Mounting Tab Width:**

Between 0.047 inches and 0.053 inches

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Tab single group

**Rating Method:**

Electrical single component single winding

**Winding Operating Current:**

800.0 milliamperes dc single component single winding

**Dc Resistance Rating In Ohms:**

0.250 single component single winding

**Quality Factor:**

60 single component single winding and 65 single component single winding

**Adjustment Method And Quantity:**

1 adjustable core single component

**Test Data Document:**

96214-800743 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Terminal Type And Quantity:**

2 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0