

View Online at <https://aerobasegroup.com/nsn/5950-01-006-2466>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

8.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.188 inches single mounting facility single center group and 2.188 inches single mounting facility single center group

Mounting Slot Width:

0.313 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

8.750 inches

Body Width:

5.125 inches

Body Height:

4.500 inches

Inclosure Type:

Partially enclosed, double shell

Mounting Facility Quantity:

3 single group

Mounting Method:

Flange single group and slot single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

4.16 amperes ac single component all secondary

Winding Power Rating:

499.2 volts-amperes single component all secondary

Winding Operating Voltage:

432.00 ac volts single component single primary and 456.00 ac volts single component single primary and 480.00 ac volts single component single primary

Terminal Type And Quantity:

8 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0