

View Online at <https://aerobasegroup.com/nsn/5950-01-006-7859>

**Reliability Indicator:**

Not established

**Inductance Rating:**

16.00 millihenries single component all secondary

**Frequency Rating:**

4.8 megahertz single component

**Coil Form Type:**

Solid single component

**Winding Shielding Method:**

Primary and secondary shielded and brought out to terminal single component and core grounded and brought out to terminal single component

**Body Length:**

Between 1.720 inches and 1.780 inches

**Body Width:**

Between 1.720 inches and 1.780 inches

**Body Height:**

Between 2.630 inches and 2.870 inches

**Distance Between Mounting Facility Centers:**

1.480 inches single mounting facility single center group and 1.520 inches single mounting facility single center group

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Threaded stud single group

**Rating Method:**

Electrical single component all primary

**Winding Function And Quantity:**

2 primary single component and 2 secondary single component

**Features Provided:**

Color coded lead

**Thread Size:**

0.138 inches single group

**Winding Conductor Size:**

0.01264 inches american wire gage single component all secondary

**Special Features:**

Primary shield is brought out to primary terminal; secondary shield is brought out to secondary terminal

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

9 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0