

View Online at <https://aerobasegroup.com/nsn/5950-01-008-3155>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.188 inches single mounting facility single center group

Mounting Slot Width:

0.156 inches single group

Inductance Type:

Fixed

Inductance Rating:

50.00 millihenries single component single winding

Frequency Rating:

50.0 hertz single component and 60.0 hertz single component

Body Length:

2.375 inches

Body Width:

2.250 inches

Body Height:

2.875 inches

End Application:

Medium intensity approach lighting system, fa8767 (mals)

Winding Quantity:

1 single component

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and slot single group

Winding Operating Current:

4.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

10.000 single component single winding

Special Features:

L-201, ti6850.9, instruction bk, malsr, pg 8-15, gte sylvania

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0