

View Online at <https://aerobasegroup.com/nsn/5950-01-008-5451>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.900 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.125 inches single mounting facility single center group

Frequency Rating:

47.0 hertz single component and 63.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

4.900 inches

Body Width:

3.850 inches

Body Height:

3.200 inches

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

30.0 amperes ac single component single secondary

Winding Power Rating:

210.0 volts-amperes single component single secondary

Winding Operating Voltage:

7.00 ac volts single component single secondary

Special Features:

Core operating at 84kv and transformer must be immersed in oil

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0