
# NSN 5950-01-011-4786

Reactor - Page 1 of 2



# **Reliability Indicator:**

Not established

# Inductance Type:

Fixed

# Inductance Rating:

1.00 millihenries single component single winding

#### **Frequency Rating:**

20.0 kilohertz single component

#### **Body Length:**

0.360 inches

#### Body Outside Diameter:

0.600 inches

#### Maximum Operating Temp:

#### 95.0 degrees celsius

# Winding Quantity:

# 1 single component

Inclosure Type:

Fully enclosed

# **Mounting Facility Quantity:**

1 single group

#### Mounting Method:

Threaded hole single group

### **Rating Method:**

Electrical single component single winding

## Thready Qty Per Inch (tpi):

40 single group

#### Thread Size:

0.112 inches single group

## Winding Conductor Size:

0.01594 inches american wire gage single component single winding

#### Winding Operating Current:

1.0 amperes dc single component single winding

#### Dc Resistance Rating In Ohms:

0.310 single component single winding

#### **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

2 wire lead

Shelf Life:

N/a

#### Unit Of Measure:

---



# NSN 5950-01-011-4786

Reactor - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

