

View Online at <https://aerobasegroup.com/nsn/5950-01-013-4541>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.562 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.312 inches single mounting facility single center group

Mounting Hole Diameter:

0.125 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to six phase single component

Transformer Winding Connection Type:

Delta-wye

Body Length:

2.750 inches

Body Width:

1.625 inches

Body Height:

1.100 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

22.0 amperes ac single component single primary

Winding Power Rating:

45.0 watts single component all secondary

Winding Operating Voltage:

43.20 ac volts single component 1st secondary

Terminal Type And Quantity:

17 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0