

View Online at <https://aerobasegroup.com/nsn/5950-01-017-2052>

**Reliability Indicator:**

Not established

**Impedance Rating In Ohms:**

1000.0 all components single secondary

**Frequency Rating:**

1.0 kilohertz all components and 100.0 kilohertz all components

**Input-output Phase Relationship:**

Single phase to single phase all components

**Winding Shielding Method:**

Internal shield brought out to terminal all components

**Body Length:**

Between 1.969 inches and 2.031 inches

**Body Width:**

Between 0.969 inches and 1.031 inches

**Body Height:**

Between 0.469 inches and 0.531 inches

**Maximum Operating Temp:**

105.0 degrees celsius

**Distance Between Mounting Facility Centers:**

0.969 inches single mounting facility single center group and 1.031 inches single mounting facility single center group

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Threaded hole single group

**Rating Method:**

Electrical all components single secondary

**Winding Function And Quantity:**

1 primary all components and 1 secondary all components

**Thread Size:**

0.112 inches single group

**Winding Operating Voltage:**

3.09 ac volts all components single secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

10 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0