## NSN 5950-01-018-7330

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-018-7330

Reliability Indicator:						
Not established						
Overall Length:						
4.500 inches						
Center To Center Distance Between Mounting Facilities Parallel To Length:						
3.750 inches single mounting facility single center group						
Center To Center Distance Between Mounting Facilities Parallel To Width:						
2.500 inches single mounting facility single center group						
Overall Height:						
7.000 inches						
Overall Width:						
3.250 inches						
Mounting Hole Diameter:						
0.218 inches single group and 0.224 inches single group						
Frequency Rating:						
60.0 hertz single component						
Input-output Phase Relationship:						
Single phase to single phase single component						
Winding Shielding Method:						
Internal shield grounded to inclosure and core and brought out to terminal single component						
Body Length:						
4.500 inches						
Body Width:						
3.250 inches						
Body Height:						
7.000 inches						
Inclosure Type:						
Fully enclosed						
Mounting Facility Quantity:						
4 single group						
Mounting Method:						
Flange single group and unthreaded hole single group						
Winding Function And Quantity:						
1 primary single component and 2 secondary single component						
Winding Operating Current:						
3.0 amperes ac single component 1st secondary						
Winding Operating Voltage:						
440.00 ac volts single component single primary						
Terminal Type And Quantity:						
7 tab, solder lug						
Shelf Life:						

N/a

## NSN 5950-01-018-7330

Power Transformer - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A058b0