NSN 5950-01-020-9682

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-020-9682

view Offiline at https://acrobasegroup.com/hsh/3330-01-020-3002
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.000 inches single mounting facility single center group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
1.310 inches
Body Width:
1.250 inches
Body Height:
1.750 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Current:
26.0 milliamperes dc single component single secondary
Winding Operating Voltage:
50.00 ac volts single component single secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
5 tab, solder lug
Shelf Life:
N/a

--

Unit Of Measure:

NSN 5950-01-020-9682

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0