## NSN 5950-01-021-6324

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-021-6324

····· - ······ - ····· - ··· - · · · ·
Dummy Terminal Quantity (non-core):
3
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.062 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.000 inches single mounting facility single center group
Frequency Rating:
380.0 hertz single component and 420.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
2.500 inches
Body Width:
2.000 inches
Body Height:
3.000 inches
Maximum Operating Temp:
70.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Bracket single group and unthreaded hole single group
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Winding Operating Current:
0.8 amperes dc single component 3rd secondary
Winding Operating Voltage:
200.00 ac pounds per hour with retaining chain single component single primary
Special Features:
One mtg flange located on upper left of xfrmr case
Cognizant Service:
Terminal Type And Quantity:
8 tab, solder lug
Shelf Life:
Unit Of Measure:

## NSN 5950-01-021-6324

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

