

View Online at <https://aerobasegroup.com/nsn/5950-01-022-0471>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.920 inches single mounting facili type 2nd center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.920 inches single mounting facili type 3rd center group

Mounting Hole Diameter:

0.370 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

5.450 inches

Body Width:

4.850 inches

Body Height:

3.640 inches

Maximum Operating Temp:

105.0 degrees celsius

Distance Between Mounting Facility Centers:

2.680 inches single mounting facili type 1st center group

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 2nd group

Mounting Method:

Threaded hole all groupings

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.138 inches all groupings

Winding Operating Current:

3.4 amperes ac single component single secondary

Winding Power Rating:

600.0 volts-amperes single component single primary

Winding Operating Voltage:

32.80 ac volts single component single primary

Thread Series Designator:

Unc all groupings

Terminal Type And Quantity:

5 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0