## NSN 5950-01-022-4426

Power Transformer - Page 1 of 2

Unf 2nd group



View Online at https://aerobasegroup.com/nsn/5950-01-022-4426

Reliability Indicator:				
Not established				
Overall Length:				
9.430 inches				
Center To Center Distance Between Mounting Facilities Parallel To Length:				
4.740 inches single mounting facility single center group and 4.760 inches single mounting facility single center group				
Center To Center Distance Between Mounting Facilities Parallel To Width:				
1.620 inches single mounting facility single center group and 1.640 inches single mounting facility single center group				
Overall Height:				
2.520 inches				
Overall Width:				
5.810 inches				
Frequency Rating:				
400.0 hertz single component				
Input-output Phase Relationship:				
Three phase to three phase single component				
Winding Shielding Method:				
Internal shield grounded to inclosure and core single component				
Body Length:				
6.500 inches				
Inclosure Type:				
Fully enclosed				
Mounting Facility Quantity:				
4 single group				
Mounting Method:				
Threaded stud single group				
Winding Function And Quantity:				
1 primary single component and 1 secondary single component				
Thready Qty Per Inch (tpi):				
32 all groupings				
Thread Size:				
0.190 inches 2nd group				
Winding Operating Current:				
28.0 milliamperes ac single component single secondary				
Criticality Code Justification:				
Feat				
Winding Operating Voltage:				
4550.00 ac volts single component single secondary				
Special Features:				
Weapon system essential				
Thread Series Designator:				

## NSN 5950-01-022-4426

Power Transformer - Page 2 of 2



<b>Terminal</b>	Type	And	Quantity:
-----------------	------	-----	-----------

7 threaded stud

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0