

View Online at <https://aerobasegroup.com/nsn/5950-01-025-5031>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.438 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches single mounting facility single center group

Mounting Hole Diameter:

0.155 inches single group and 0.162 inches single group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-delta

Body Length:

3.500 inches

Body Width:

2.700 inches

Body Height:

1.370 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Bracket single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

15.0 milliamperes ac single component single primary

Winding Operating Voltage:

7.22 ac volts single component single secondary and 14.90 ac volts single component single secondary and 15.40 ac volts single component single secondary and 23.50 ac volts single component single secondary and 25.30 ac volts single component single secondary and 66.90 ac volts single component single secondary and 109.70 ac volts single component single secondary

Terminal Type And Quantity:

27 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0