## NSN 5950-01-026-1831

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-026-1831

Reliability Indicator:
Not established
Turn Quantity:
270 single component 1st winding
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.250 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.000 inches single mounting facility single center group
Inductance Type:
Swinging
Inductance Rating:
50.00 millihenries single component 4th winding and 100.00 millihenries single component 4th winding
Frequency Rating:
110.0 hertz single component and 130.0 hertz single component
Body Length:
4.250 inches
Body Width:
3.500 inches
Body Height:
3.590 inches
Winding Quantity:
4 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component 4th winding and winding turns single component 4th winding
Thread Size:
0.190 inches single group
Winding Conductor Size:
0.04030 inches american wire gage single component 3rd winding
Winding Operating Current:
500.0 milliamperes dc single component 2nd winding
Dc Resistance Rating In Ohms:
2.100 single component 1st winding
Thread Series Designator:

Unf single group

**Terminal Type And Quantity:** 

8 turret

## NSN 5950-01-026-1831

Reactor - Page 2 of 2



_						
C	he	14		iŧ	0	•
J			_		ㄷ	-

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0