

View Online at <https://aerobasegroup.com/nsn/5950-01-026-5970>

Reliability Indicator:

Not established

Overall Length:

Between 0.390 inches and 0.430 inches

Inductance Rating:

0.22 microhenries single component single winding

Coil Form Type:

Solid single component

Core Construction:

Solid single component

Overall Diameter:

Between 0.152 inches and 0.172 inches

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Method:

Terminal single group

Rating Method:

Electrical single component single winding

Features Provided:

Tinned wire leads

Winding Operating Current:

1.1 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.067 single component single winding

Quality Factor:

49 single component single winding

Special Features:

Suffix letter on p/n 15s-r22k denotes a standard tolerance of 10 pct

Test Data Document:

81349-mil-c-15305 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

2 wire lead

Specification Data:

96906-ms75087 government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0