# NSN 5950-01-026-7713

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-026-7713

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.500 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.250 inches single mounting facility single center group

#### **Mounting Slot Width:**

0.203 inches single group

#### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Maximum Transformer Power Rating:**

30.0 watts single component

#### **Winding Shielding Method:**

Internal shield brought out to terminal single component

#### **Body Length:**

3.063 inches

## **Body Width:**

2.880 inches

# **Body Height:**

2.563 inches

#### **Inclosure Type:**

Fully enclosed

# **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Slot single group

#### **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

# Winding Operating Current:

2.0 amperes dc single component single secondary

# **Winding Power Rating:**

38.4 volts-amperes single component single secondary

## **Winding Operating Voltage:**

19.20 ac volts single component single secondary

# **Terminal Type And Quantity:**

6 tab, solder lug

# Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5950-01-026-7713

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0