NSN 5950-01-027-0694

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-027-0694

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.765 inches single mounting facility single center group and 1.797 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.015 inches single mounting facility single center group and 1.047 inches single mounting facility single center group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component

Transformer Winding Connection Type:

Delta-delta

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

2.281 inches

Body Width:

2.031 inches

Body Height:

1.531 inches

Maximum Operating Temp:

125.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

375.0 milliamperes dc single component all secondary

Winding Operating Voltage:

120.00 ac volts single component all secondary

Special Features:

Output currents shown as rectified

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

9 tab, solder lug

NSN 5950-01-027-0694

Power Transformer - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0