NSN 5950-01-027-4605

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-027-4605
Reliability Indicator:
Not established
Hazardous Locations/environmental Protection:
Vibration resistant
Overall Length:
8.250 inches
Turn Quantity:
110 single component single winding
Mounting Slot Width:
0.190 inches single group
Inductance Type:
Fixed
Inductance Rating:
425.00 microhenries single component single winding
Body Outside Diameter:
Between 2.730 inches and 2.770 inches
Maximum Operating Temp:
70.0 degrees celsius
Mounting Bolt Circle Diameter:
3.380 inches single mounting facility single center group
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
3 single group
Mounting Method:
Strap single group and slot single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Winding Conductor Size:
0.03589 inches american wire gage single component single winding
Winding Operating Current:
14.1 amperes ac single component single winding
Dc Resistance Rating In Ohms:
1.000 single component single winding
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

NSN 5950-01-027-4605

Reactor - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A058b0