# NSN 5950-01-028-3225

Pulse Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-028-3225

## Reliability Indicator:

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

3.125 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

2.437 inches single mounting facility single center group

## Mounting Hole Diameter:

0.187 inches single group

#### Impedance Rating In Ohms:

7.5 single component single primary

## **Frequency Rating:**

5.0 hertz single component and 55.0 hertz single component

## Primary To Secondary Turn Ratio:

1 to 1 single component

## Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

#### **Body Length:**

3.800 inches

#### Body Width:

1.500 inches

#### **Body Height:**

3.120 inches

## Maximum Operating Temp:

71.0 degrees celsius

#### Inclosure Type:

Hermetically sealed

## **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Unthreaded hole single group

## Winding Function And Quantity:

1 primary single component and 4 secondary single component

#### Winding Operating Current:

4.0 amperes dc single component single primary

## **Terminal Type And Quantity:**

11 wire lead

## Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

# NSN 5950-01-028-3225

Pulse Transformer - Page 2 of 2

**Fiig:** A058b0

