## NSN 5950-01-029-0842

Power Transformer - Page 1 of 1

Fiig: A058b0



View Online at https://aerobasegroup.com/nsn/5950-01-029-0842
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.500 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.250 inches single mounting facility single center group
Mounting Hole Diameter:
0.201 inches single group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure and brought out to terminal single component
Body Length:
5.250 inches
Body Width:
4.370 inches
Body Height:
5.250 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and unthreaded hole single group
Winding Function And Quantity:
2 primary single component and 1 secondary single component
Winding Operating Current:
8.0 amperes dc single component single secondary
Winding Operating Voltage:
93.00 ac volts single component 2nd primary and 105.00 ac volts single component 2nd primary and 115.00 ac volts single component 2nd
primary and 125.00 ac volts single component 2nd primary
Terminal Type And Quantity:
11 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No