

View Online at <https://aerobasegroup.com/nsn/5950-01-029-2125>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.188 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility single center group

Mounting Hole Diameter:

0.161 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

37.1 watts single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

2.500 inches

Body Width:

1.812 inches

Body Height:

2.500 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

80.0 milliamperes ac single component single primary

Winding Operating Voltage:

5.25 ac volts single component single secondary and 26.60 ac volts single component single secondary and 118.50 ac volts single component single secondary

Terminal Type And Quantity:

9 wire hook

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0