NSN 5950-01-035-1308

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-035-1308

Overa	11 1	Δn	ath	٠.
Overa	II L	.en	atr	1:

Between 6.365 inches and 6.375 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

5.000 inches single mounting facility single center group

Overall Height:

Between 7.220 inches and 7.250 inches

Mounting Hole Diameter:

0.281 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

Between 4.865 inches and 4.875 inches

Body Width:

Between 4.115 inches and 4.125 inches

Body Height:

Between 5.970 inches and 6.000 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Voltage:

28.00 ac pounds per hour wet single component single secondary

Terminal Type And Quantity:

4 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0