

View Online at <https://aerobasegroup.com/nsn/5950-01-037-0876>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.440 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches single mounting facility single center group

Mounting Hole Diameter:

0.156 inches single group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component and three phase to three phase single component

Transformer Winding Connection Type:

Wye-wye

Body Length:

3.440 inches

Body Width:

2.750 inches

Body Height:

1.420 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 8 secondary single component

Winding Operating Current:

800.0 milliamperes dc single component 4th secondary

Winding Power Rating:

4.4 volts-amperes single component 2nd secondary

Winding Operating Voltage:

25.50 ac volts single component 2nd secondary

Special Features:

One primary winding; eight secondary windings

Terminal Type And Quantity:

27 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0