

View Online at <https://aerobasegroup.com/nsn/5950-01-039-7155>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

52.0 millimeters single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

41.0 millimeters single mounting facility single center group

**Frequency Rating:**

50.0 hertz single component or 60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

51.2 volt-ampere single component

**Winding Shielding Method:**

Internal shield grounded to inclosure single component

**Body Length:**

65.0 millimeters

**Body Width:**

63.0 millimeters

**Body Height:**

90.0 millimeters

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Unthreaded hole single group

**Winding Function And Quantity:**

2 primary single component and 5 secondary single component

**Winding Operating Current:**

550.0 milliamperes ac single component 2nd secondary

**Winding Operating Voltage:**

9.50 ac volts single component 2nd secondary

**Terminal Type And Quantity:**

18 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0