

View Online at <https://aerobasegroup.com/nsn/5950-01-041-0774>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.281 inches single mounting facility single center group and 2.313 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.843 inches single mounting facility single center group and 1.875 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

External inclosure single component

Body Length:

Between 4.062 inches and 4.250 inches

Body Width:

Between 2.940 inches and 3.062 inches

Body Height:

Between 2.500 inches and 2.625 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

2.2 amperes ac single component single secondary

Winding Power Rating:

94.6 volts-amperes single component single secondary

Winding Operating Voltage:

43.00 ac pounds per hour wet single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0