## NSN 5950-01-041-2054

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-041-2054

#### **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.188 inches single mounting facility single center group

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.188 inches single mounting facility single center group

#### Frequency Rating:

360.0 hertz single component and 440.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### Winding Shielding Method:

External inclosure single component

#### **Body Length:**

1.625 inches

#### **Body Width:**

1.625 inches

#### **Body Height:**

2.375 inches

## **Maximum Operating Temp:**

55.0 degrees celsius

## Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded stud single group

## **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

## Thready Qty Per Inch (tpi):

32 single group

#### **Thread Size:**

0.138 inches single group

#### **Winding Operating Current:**

1.0 amperes ac single component single secondary

#### **Winding Operating Voltage:**

102.00 ac volts single component single primary and 124.00 ac volts single component single primary

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

1 connector, receptacle

## Shelf Life:

N/a

# NSN 5950-01-041-2054

Power Transformer - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

--

Demilitarization:

No

Fiig:

A058b0