# NSN 5950-01-041-6527

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-041-6527

Reliability	Indicator:
-------------	------------

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.100 inches single mounting facility single center group and 2.140 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.980 inches single mounting facility single center group and 2.020 inches single mounting facility single center group

#### **Mounting Slot Width:**

0.190 inches single group and 0.250 inches single group

#### Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

**Body Length:** 

2.750 inches

**Body Width:** 

2.750 inches

**Body Height:** 

Between 2.870 inches and 3.370 inches

#### **Maximum Operating Temp:**

130.0 degrees celsius

#### Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Flange single group and slot single group

#### **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

#### **Winding Operating Current:**

540.0 milliamperes ac single component single primary

#### **Winding Power Rating:**

63.2 volts-amperes single component single primary

#### **Winding Operating Voltage:**

117.00 ac volts single component single primary

### Terminal Type And Quantity:

11 tab, solder lug

Shelf Life:

N/a

#### **Unit Of Measure:**

## Demilitarization:

No

# NSN 5950-01-041-6527

Power Transformer - Page 2 of 2



Fiig:

A058b0