## NSN 5950-01-043-1984

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-043-1984

Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.436 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.000 inches single mounting facility single center group
Mounting Slot Width:
0.203 inches single group
Frequency Rating:
47.0 hertz single component and 67.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
4.188 inches
Body Width:
4.000 inches
Body Height:
3.844 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and slot single group
Winding Function And Quantity:
2 primary single component and 2 secondary single component
Winding Operating Current:
6.0 amperes dc single component all secondary
Winding Operating Voltage:
95.00 ac pounds per hour dry single component 1st primary and 130.00 ac pounds per hour with retaining chain single component 1st
primary
Terminal Type And Quantity:
8 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A058b0