

View Online at <https://aerobasegroup.com/nsn/5950-01-043-8976>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.656 inches single mounting facility single center group

Impedance Rating In Ohms:

100.0 single component single primary

Frequency Rating:

300.0 hertz single component and 20.0 kilohertz single component

Maximum Transformer Power Rating:

1.0 watts single component

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

1.250 inches

Body Width:

1.031 inches

Body Height:

1.562 inches

Inclosure Type:

Partially enclosed, double shell

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thread Qty Per Inch (tpi):

40 single group

Thread Size:

0.112 inches single group

Winding Operating Current:

200.0 milliamperes dc single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0