## NSN 5950-01-047-4798

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-047-4798

**Reliability Indicator:** 

Not established

**Overall Length:** 

Between 3.440 inches and 4.620 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.610 inches single mounting facility single center group and 2.640 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

2.110 inches single mounting facility single center group and 2.140 inches single mounting facility single center group

**Frequency Rating:** 

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

**Body Length:** 

Between 3.690 inches and 3.870 inches

**Body Width:** 

Between 3.440 inches and 3.560 inches

**Body Height:** 

Between 2.940 inches and 3.060 inches

Inclosure Type:

Fully enclosed

**Mounting Facility Quantity:** 

8 single group

**Mounting Method:** 

Threaded hole single group

**Winding Function And Quantity:** 

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group

**Thread Size:** 

0.164 inches single group

**Winding Operating Current:** 

10.0 amperes ac single component single secondary

**Winding Operating Voltage:** 

6.111 ac volts single component single secondary and 6.489 ac volts single component single secondary

**Special Features:** 

Four mtg holes located on top and four mtg holes located on bottom of the transformer

**Thread Series Designator:** 

Unc single group

**Terminal Type And Quantity:** 

8 solder stud

## NSN 5950-01-047-4798

Power Transformer - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0