NSN 5950-01-049-7844

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-049-7844

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.490 inches single mounting facility single center group and 4.510 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.240 inches single mounting facility single center group and 2.260 inches single mounting facility single center group

Mounting Hole Diameter:

0.281 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-delta and delta-wye

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

5.250 inches

Body Width:

3.700 inches

Body Height:

4.500 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 10 secondary single component

Winding Operating Current:

7.5 amperes dc single component 1st secondary

Winding Operating Voltage:

8.90 ac volts single component 1st secondary

Special Features:

1 primary winding; 10 secondary windings

Terminal Type And Quantity:

33 turret

Shelf Life:

N/a

NSN 5950-01-049-7844

Power Transformer - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A058b0