

View Online at <https://aerobasegroup.com/nsn/5950-01-050-3936>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.500 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.500 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to core and brought out to terminal single component

**Body Length:**

3.120 inches

**Body Width:**

2.620 inches

**Body Height:**

2.250 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Thread Size:**

0.164 inches single group

**Winding Operating Current:**

60.0 milliamperes dc single component 1st secondary

**Winding Operating Voltage:**

44.00 dc volts single component 1st secondary

**Special Features:**

Voltage readings taken after going through diodes on output of transformer; current readings were taken using same procedure

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

10 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0