NSN 5950-01-052-1856

Power Transformer - Page 1 of 2

Reliability Indicator:

Thread Series Designator:



View Online at https://aerobasegroup.com/nsn/5950-01-052-1856

Not established
Overall Length:
4.932 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.312 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.688 inches single mounting facility single center group
Overall Height:
6.062 inches
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
4.312 inches
Body Width:
2.688 inches
Body Height:
5.562 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.190 inches single group
Winding Operating Current:
500.0 milliamperes ac single component single secondary
Winding Power Rating:
236.4 watts single component single secondary
Winding Operating Voltage:
92.70 ac volts single component single primary and 103.50 ac volts single component single primary and 109.20 ac volts single component
single primary and 115.00 ac volts single component single primary and 120.70 ac volts single component single primary and 126.50 ac
volts single component single primary and 132.00 ac volts single component single primary and 138.00 ac volts single component single
primary

NSN 5950-01-052-1856

Power Transformer - Page 2 of 2



Terminal Type Aı	nd Quantity:
------------------	--------------

12 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0