

View Online at <https://aerobasegroup.com/nsn/5950-01-052-1856>

Reliability Indicator:

Not established

Overall Length:

4.932 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.312 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.688 inches single mounting facility single center group

Overall Height:

6.062 inches

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

4.312 inches

Body Width:

2.688 inches

Body Height:

5.562 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

500.0 milliamperes ac single component single secondary

Winding Power Rating:

236.4 watts single component single secondary

Winding Operating Voltage:

92.70 ac volts single component single primary and 103.50 ac volts single component single primary and 109.20 ac volts single component single primary and 115.00 ac volts single component single primary and 120.70 ac volts single component single primary and 126.50 ac volts single component single primary and 132.00 ac volts single component single primary and 138.00 ac volts single component single primary

Thread Series Designator:

1/4-19 single group

Terminal Type And Quantity:

12 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0