# NSN 5950-01-053-5884

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-053-5884

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.830 inches single mounting facility single center group

# **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.500 inches single mounting facility single center group

#### Frequency Rating:

47.0 hertz single component and 63.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

External inclosure single component

#### **Body Length:**

2.600 inches

#### **Body Width:**

2.250 inches

#### **Body Height:**

2.220 inches

# **Maximum Operating Temp:**

105.0 degrees celsius

# Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded hole single group

# **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

#### **Thread Size:**

0.138 inches single group

# **Winding Operating Current:**

250.0 milliamperes ac single component single secondary

# **Winding Power Rating:**

26.0 volts-amperes single component single secondary

# **Winding Operating Voltage:**

108.00 ac volts single component single primary and 132.00 ac volts single component single primary

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

5 tab, solder lug

# NSN 5950-01-053-5884

Power Transformer - Page 2 of 2



-			 
٠.	hΔ	Iŧ.	ife:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0