

View Online at <https://aerobasegroup.com/nsn/5950-01-055-0600>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches all mounting facilities all center groupings

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.650 inches all mounting facilities all center groupings

Primary To Secondary Turn Ratio:

1 to 4 single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

2.750 inches

Body Width:

2.250 inches

Body Height:

3.500 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

75.0 amperes ac single component single secondary

Dc Resistance Rating In Ohms:

0.014 single component single secondary

Special Features:

Marked "danger 8800v" in .38 high white letters on red background

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

5 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0