

View Online at <https://aerobasegroup.com/nsn/5950-01-055-3984>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Vibration resistant

Overall Length:

Between 1.234 inches and 1.266 inches

Mounting Hole Diameter:

0.177 inches single group and 0.197 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-wye

Winding Shielding Method:

Internal shield grounded to inclosure and core single component

Body Width:

Between 1.615 inches and 1.635 inches

Body Height:

Between 1.365 inches and 1.385 inches

Maximum Operating Temp:

170.0 degrees celsius

Distance Between Mounting Facility Centers:

1.215 inches single mounting facility single center group and 1.235 inches single mounting facility single center group

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

2 single group

Mounting Method:

Bracket single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Winding Operating Current:

689.6 milliamperes ac single component 1st secondary

Winding Power Rating:

25.0 watts single component 3rd secondary

Winding Operating Voltage:

6.20 ac volts single component 3rd secondary

Terminal Type And Quantity:

13 eyelet

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0