## NSN 5950-01-056-1170

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-056-1170

Reliability Indicator:
Not established
Overall Length:
16.750 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
15.240 inches single mounting facility single center group and 15.260 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
9.110 inches single mounting facility single center group and 9.130 inches single mounting facility single center group
Overall Width:
10.380 inches
Mounting Hole Diameter:
0.750 inches single group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Three phase to three phase single component
Transformer Winding Connection Type:
Delta-delta and delta-wye
Maximum Transformer Power Rating:
30.0 kilovolt-ampere single component
Body Height:
12.180 inches
Maximum Operating Temp:
55.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Unthreaded hole single group
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Winding Operating Current:
68.0 amperes ac single component 2nd secondary
Winding Operating Voltage:
33.00 ac volts single component single primary and 66.00 ac volts single component single primary and 99.00 ac volts single component
single primary and 440.00 ac volts single component single primary
Special Features:
Taps on primary winding represents a 7.5 deg. Phase shift
Terminal Type And Quantity:

Shelf Life: N/a

3 terminal block w/screws

## NSN 5950-01-056-1170

Power Transformer - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A058b0