

View Online at <https://aerobasegroup.com/nsn/5950-01-056-1604>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.560 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.380 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield brought out to terminal single component

**Body Length:**

2.120 inches

**Body Width:**

1.820 inches

**Body Height:**

1.190 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thready Qty Per Inch (tpi):**

40 single group

**Thread Size:**

0.112 inches single group

**Winding Operating Current:**

3.0 amperes ac single component single secondary

**Winding Power Rating:**

48.0 volts-amperes single component single primary

**Winding Operating Voltage:**

115.00 ac pounds per hour wet single component single primary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

5 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0