

View Online at <https://aerobasegroup.com/nsn/5950-01-056-7682>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.703 inches single mounting facility single center group and 3.797 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.953 inches single mounting facility single center group and 3.047 inches single mounting facility single center group

Overall Height:

7.500 inches

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

5.500 inches

Body Width:

4.500 inches

Body Height:

6.750 inches

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.250 inches single group

Winding Operating Current:

15.0 amperes ac single component single secondary

Winding Power Rating:

450.0 volts-amperes single component single secondary

Winding Operating Voltage:

26.00 ac volts single component single secondary and 28.00 ac volts single component single secondary and 30.00 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0