## NSN 5950-01-058-1960

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-058-1960

view Online at https://acrobasegroup.com/nsn/3330-01-030-1300
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.313 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.063 inches single mounting facility single center group
Overall Height:
2.924 inches
Inductance Type:
Fixed
Inductance Rating:
2.00 henry single component single winding
Frequency Rating:
60.0 hertz single component
Body Length:
1.901 inches
Body Width:
1.791 inches
Body Height:
2.424 inches
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Current:
0.165 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
90.000 single component single winding
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
2 turret
Shelf Life:

N/a

## NSN 5950-01-058-1960

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0