## NSN 5950-01-058-1962

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-058-1962

Reliability Indicator:
Not established
Overall Length:
5.155 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.625 inches single mounting facility single center group
Overall Width:
3.062 inches
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
3.563 inches
Body Width:
3.063 inches
Body Height:
4.875 inches
Maximum Operating Temp:
105.0 degrees celsius
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 4 secondary single component
Thread Size:
0.164 inches single group
Winding Operating Current:
500.0 milliamperes ac single component 3rd secondary
Winding Power Rating:
47.8 volts-amperes single component 1st secondary
Winding Operating Voltage:
9.00 ac volts single component 2nd secondary and 47.00 ac volts single component 2nd secondary and 56.00 ac volts single component
2nd secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:

14 turret

## NSN 5950-01-058-1962

Power Transformer - Page 2 of 2



	<b>L</b> -	16		ife	_
3	ne	п	_	пе	Ξ

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0