NSN 5950-01-058-4744

Radio Frequency Coil - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-058-4744

| Reliability Indicator: |
|---|
| Not established |
| Hazardous Locations/environmental Protection: |
| Vibration resistant and moisture resistant and fungus resistant and flame resistant |
| Inductance Rating: |
| 6.80 microhenries single component single winding |
| Coil Form Type: |
| Solid single component |
| Core Construction: |
| S0lid single component |
| Body Length: |
| 0.342 inches |
| Body Outside Diameter: |
| 0.328 inches |
| Maximum Operating Temp: |
| 105.0 degrees celsius |
| Inclosure Type: |
| Fully enclosed |
| Mounting Method: |
| Terminal single group |
| Rating Method: |
| Electrical single component single winding |
| Features Provided: |
| Tinned wire leads |
| Winding Operating Current: |
| 622.0 milliamperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 0.100 single component single winding |
| Quality Factor: |
| 25 single component single winding |
| Special Features: |
| 10inductance tolerance |
| Terminal Type And Quantity: |
| 2 wire lead |
| Specification Data: |
| 18876-13153244 manufacturers source control |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

NSN 5950-01-058-4744Radio Frequency Coil - Page 2 of 2



Fiig:

A058b0