# NSN 5950-01-061-4502

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-061-4502

Reliability	Indicator:
-------------	------------

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

6.146 inches single mounting facility single center group and 6.166 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

4.690 inches single mounting facility single center group and 4.710 inches single mounting facility single center group

## **Overall Height:**

5.310 inches

#### **Overall Width:**

6.500 inches

#### Frequency Rating:

50.0 hertz single component and 63.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Body Length:**

7.200 inches

## **Maximum Operating Temp:**

170.0 degrees celsius

## **Inclosure Type:**

Fully enclosed

# **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

# **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

#### **Features Provided:**

Color coded lead

# Thread Size:

0.312 inches single group

# **Winding Operating Current:**

17.0 amperes ac single component single primary

## **Winding Power Rating:**

1.9 kilovolt-amperes single component single primary

#### Winding Operating Voltage:

35.00 ac volts single component single secondary and 37.00 ac volts single component single secondary

# **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

4 wire lead w/lug

# Shelf Life:

N/a

# NSN 5950-01-061-4502

Power Transformer - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0